


Linux Bash Shell Cheat Sheet



(works with about every distribution, except for apt-get which is Ubuntu/Debian exclusive)

Legend:

Everything in “<>” is to be replaced, ex: <fileName> --> iLovePeanuts.txt

Don't include the '=' in your commands

'..' means that more than one file can be affected with only one command ex: rm
file.txt file2.txt movie.mov

Linux Bash Shell Cheat Sheet

Basic Commands

Basic Terminal Shortcuts

CTRL L = Clear the terminal
CTRL D = Logout
SHIFT Page Up/Down = Go up/down the terminal
CTRL A = Cursor to start of line
CTRL E = Cursor the end of line
CTRL U = Delete left of the cursor
CTRL K = Delete right of the cursor
CTRL W = Delete word on the left
CTRL Y = Paste (after CTRL U,K or W)
TAB = auto completion of file or command
CTRL R = reverse search history
!! = repeat last command
CTRL Z = stops the current command (resume with fg in foreground or bg in background)

Basic Terminal Navigation

ls -a = list all files and folders
ls <folderName> = list files in folder
ls -lh = Detailed list, Human readable
ls -l *.jpg = list jpeg files only
ls -lh <fileName> = Result for file only

cd <folderName> = change directory
 if folder name has spaces use “ “
cd / = go to root
cd .. = go up one folder, tip: ../../..

du -h: Disk usage of folders, human readable
du -ah: “ “ “ files & folders, Human readable
du -sh: only show disc usage of folders

pwd = print working directory

man <command> = shows manual (RTFM)

Basic file manipulation

cat <fileName> = show content of file
 (less, more)
head = from the top
 -n <#oflines> <fileName>

tail = from the bottom
 -n <#oflines> <fileName>

mkdir = create new folder
mkdir myStuff ..
mkdir myStuff/pictures/ ..

cp image.jpg newimage.jpg = copy and rename a file
cp image.jpg <folderName>/ = copy to folder
cp image.jpg folder/sameImageNewName.jpg
cp -R stuff otherStuff = copy and rename a folder
cp *.txt stuff/ = copy all of *<file type> to folder

mv file.txt Documents/ = move file to a folder
mv <folderName> <folderName2> = move folder in folder
mv filename.txt filename2.txt = rename file
mv <fileName> stuff/newfileName
mv <folderName>/ .. = move folder up in hierarchy

rm <fileName> .. = delete file (s)
rm -i <fileName> .. = ask for confirmation each file
rm -f <fileName> = force deletion of a file
rm -r <foldername>/ = delete folder

touch <fileName> = create or update a file

ln file1 file2 = physical link
ln -s file1 file2 = symbolic link

Linux Bash Shell Cheat Sheet

Basic Commands

Researching Files

The slow method (sometimes very slow):

```
locate <text> = search the content of all the files
locate <fileName> = search for a file
sudo updatedb = update database of files
```

```
find = the best file search tool(fast)
find -name "<fileName>"
find -name "text" = search for files who start with the word text
find -name "*text" = " " " " " end " " " "
```

Advanced Search:

Search from file Size (in ~)

```
find ~ -size +10M = search files bigger than.. (M,K,G)
```

Search from last access

```
find -name "<filetype>" -atime -5
('-' = less than, '+' = more than and nothing = exactly)
```

Search only files or directory's

```
find -type d --> ex: find /var/log -name "syslog" -type d
find -type f = files
```

More info: man find, man locate

Extract, sort and filter data

```
grep <someText> <fileName> = search for text in file
-i = Doesn't consider uppercase words
-I = exclude binary files
grep -r <text> <folderName>/ = search for file names
with occurrence of the text
```

With regular expressions:

```
grep -E ^<text> <fileName> = search start of lines
with the word text
grep -E <0-4> <fileName> =shows lines containing numbers 0-4
grep -E <a-zA-Z> <fileName> = retrieve all lines
with alphabetical letters
```

```
sort = sort the content of files
sort <fileName> = sort alphabetically
sort -o <file> <outputFile> = write result to a file
sort -r <fileName> = sort in reverse
sort -R <fileName> = sort randomly
sort -n <fileName> = sort numbers
```

```
wc = word count
wc <fileName> = nbr of line, nbr of words, byte size
-l (lines), -w (words), -c (byte size), -m
(number of characters)
```

```
cut = cut a part of a file
-c --> ex: cut -c 2-5 names.txt
(cut the characters 2 to 5 of each line)
-d (delimiter) (-d & -f good for .csv files)
-f (# of field to cut)
```

more info: man cut, man sort, man grep

Linux Bash Shell Cheat Sheet

Basic Commands

Time settings

date = view & modify time (on your computer)

View:

```
date "+%H" --> If it's 9 am, then it will show 09
date "+%H:%M:%S" = (hours, minutes, seconds)
%Y = years
```

Modify:

```
MMDDhhmmYYYY
Month | Day | Hours | Minutes | Year
```

```
sudo date 031423421997 = March 14th 1997, 23:42
```

Execute programs at another time

use 'at' to execute programs in the future

Step 1, write in the terminal: at <timeOfExecution> ENTER
ex --> at 16:45 or at 13:43 7/23/11 (to be more precise)
or after a certain delay:

```
at now +5 minutes (hours, days, weeks, months, years)
```

Step 2: <ENTER COMMAND> ENTER

```
repeat step 2 as many times you need
```

Step 3: CTRL D to close input

atq = show a list of jobs waiting to be executed

atrm = delete a job n°<x>

```
ex (delete job #42) --> atrm 42
```

sleep = pause between commands

```
with ';' you can chain commands, ex: touch file; rm file
```

you can make a pause between commands (minutes, hours, days)

```
ex --> touch file; sleep 10; rm file <-- 10 seconds
```

(continued)

crontab = execute a command regularly

```
-e = modify the crontab
```

```
-l = view current crontab
```

```
-r = delete you crontab
```

In crontab the syntax is

```
<Minutes> <Hours> <Day of month> <Day of week (0-6,
0 = Sunday)> <COMMAND>
```

ex, create the file movies.txt every day at 15:47:

```
47 15 * * * touch /home/bob/movies.txt
```

```
* * * * * --> every minute
```

at 5:30 in the morning, from the 1st to 15th each month:

```
30 5 1-15 * *
```

at midnight on Mondays, Wednesdays and Thursdays:

```
0 0 * * 1,3,4
```

every two hours:

```
0 */2 * * *
```

every 10 minutes Monday to Friday:

```
*/10 * * * 1-5
```

Execute programs in the background

Add a '&' at the end of a command

```
ex --> cp bigMovieFile.mp4 &
```

nohup: ignores the HUP signal when closing the console
(process will still run if the terminal is closed)

```
ex --> nohup cp bigMovieFile.mp4
```

jobs = know what is running in the background

fg = put a background process to foreground

```
ex: fg (process 1), f%2 (process 2) f%3, ...
```

Linux Bash Shell Cheat Sheet

Basic Commands

Process Management

w = who is logged on and what they are doing

htop = graphic representation of system load average
(quit with CTRL C)

ps = Static process list
-ef --> ex: ps -ef | less
-ejH --> show process hierarchy
-u --> process's from current user

top = Dynamic process list

While in top:

- q to close top
- h to show the help
- k to kill a process

CTRL C to top a current terminal process

kill = kill a process

You need the PID # of the process

ps -u <AccountName> | grep <Application>

Then

kill <PID>

kill -9 <PID> = violent kill

killall = kill multiple process's

ex --> killall locate

extras:

sudo halt <-- to close computer

sudo reboot <-- to reboot

Create and modify user accounts

sudo adduser bob = root creates new user

sudo passwd <AccountName> = change a user's password

sudo deluser <AccountName> = delete an account

addgroup friends = create a new user group

delgroup friends = delete a user group

usermod -g friends <Account> = add user to a group

usermod -g bob boby = change account name

usermod -aG friends bob = add groups to a user without losing the ones he's already in

File Permissions

chown = change the owner of a file

ex --> chown bob hello.txt

chown user:bob report.txt = changes the user owning report.txt to 'user' and the group owning it to 'bob'

-R = recursively affect all the sub folders

ex --> chown -R bob:bob /home/Daniel

chmod = modify user access/permission - simple way

u = user

g = group

o = other

d = directory (if element is a directory)

l = link (if element is a file link)

r = read (read permissions)

w = write (write permissions)

x = eXecute (only useful for scripts and programs)

Linux Bash Shell Cheat Sheet

Basic Commands

File Permissions (continued)

'+' means add a right
'-' means delete a right
'=' means affect a right

ex --> chmod g+w someFile.txt
(add to current group the right to modify someFile.txt)

more info: man chmod

Flow redirection

Redirect results of commands:

'>' at the end of a command to redirect the result to a file
ex --> ps -ejH > process.txt
'>>' to redirect the result to the end of a file

Redirect errors:

'2>' at the end of the command to redirect the result to a file
ex --> cut -d , -f 1 file.csv > file 2> errors.log
'2>&1' to redirect the errors the same way as the standard output

Read progressively from the keyboard

<Command> << <wordToTerminateInput>
ex --> sort << END <-- This can be anything you want
> Hello
> Alex
> Cinema
> Game
> Code
> Ubuntu
> END

Flow Redirection (continued)

terminal output:

Alex
Cinema
Code
Game
Ubuntu

Another example --> wc -m << END

Chain commands

'|' at the end of a command to enter another one
ex --> du | sort -nr | less

Archive and compress data

Archive and compress data the long way:

Step 1, put all the files you want to compress in the same folder: ex --> mv *.txt folder/

Step 2, Create the tar file:

tar -cvf my_archive.tar folder/
-c : creates a .tar archive
-v : tells you what is happening (verbose)
-f : assembles the archive into one file

Step 3.1, create gzip file (most current):
gzip my_archive.tar
to decompress: gunzip my_archive.tar.gz

Step 3.2, or create a bzip2 file (more powerful but slow):
bzip2 my_archive.tar
to decompress: bunzip2 my_archive.tar.bz2

Linux Bash Shell Cheat Sheet

Basic Commands

Archive and compress data (continued)

step 4, to decompress the .tar file:
tar -xvf archive.tar archive.tar

Archive and compress data the fast way:

gzip: tar -zcvf my_archive.tar.gz folder/
decompress: tar -zcvf my_archive.tar.gz Documents/

bzip2: tar -jcvf my_archive.tar.gz folder/
decompress: tar -jxvf archive.tar.bz2 Documents/

Show the content of .tar, .gz or .bz2 without decompressing it:

gzip:
gzip -ztf archive.tar.gz

bzip2:
bzip2 -jtf archive.tar.bz2

tar:
tar -tf archive.tar

tar extra:
tar -rvf archive.tar file.txt = add a file to the .tar

You can also directly compress a single file and view the file without decompressing:

Step 1, use gzip or bzip2 to compress the file:
gzip numbers.txt

Step 2, view the file without decompressing it:
zcat = view the entire file in the console (same as cat)
zmore = view one screen at a time the content of the file (same as more)
zless = view one line of the file at a time (same as less)

Installing software

When software is available in the repositories:
sudo apt-get install <nameOfSoftware>
ex--> sudo apt-get install aptitude

If you download it from the Internet in .gz format (or bz2) - "Compiling from source"

Step 1, create a folder to place the file:
mkdir /home/username/src <-- then cd to it

Step 2, with 'ls' verify that the file is there (if not, mv ../file.tar.gz /home/username/src/)

Step 3, decompress the file (if .zip: unzip <file> <--

Step 4, use 'ls', you should see a new directory

Step 5, cd to the new directory

Step 6.1, use ls to verify you have an INSTALL file, then: more INSTALL

If you don't have an INSTALL file:

Step 6.2, execute ./configure <-- creates a makefile

Step 6.2.1, run make <-- builds application binaries

Step 6.2.2 : switch to root --> su

Step 6.2.3 : make install <-- installs the software

Step 7, read the readme file

